











Amisulpride

This is an easy way to read this word...am-ee-sul-pride

	<p>What is this leaflet for?</p> <p>This leaflet is to help you understand more about your medicine.</p> <p>Your medicine could look different to the photographs on this leaflet.</p>
	<p>What is the medicine called?</p> <p>Amisulpride is also called Solian.</p> <p>You will see 1 of these names on your prescription.</p> <p>Amisulpride could come as tablets or as a liquid.</p>
	<p>What is amisulpride for?</p> <p>Amisulpride could be used for different reasons.</p> <p>Amisulpride is used for schizophrenia.</p> <p>Amisulpride is sometimes used for people who have behaviour problems.</p> <p>For example, it could...</p> <ul style="list-style-type: none">• help if you are anxious• help calm you down• help you feel less angry• help you feel less tense.
	<p>What will amisulpride do?</p> <p>Amisulpride should help you feel calm and relaxed.</p> <p>It could take some time for amisulpride to have its full effect.</p> <p>This effect should reduce your behaviour problem.</p>

	<p>For example, it may...</p> <ul style="list-style-type: none">• help you control your temper• help you stop hurting yourself• help you stop breaking things.
   	<p>What are the side effects of amisulpride?</p> <p>Side effects are effects medicine can have on your body that are not wanted.</p> <p>Not everyone taking a medicine will get side effects.</p> <p>Many side effects will go away with time.</p> <p>Many side effects are rare.</p> <p>You might want to talk to your doctor if you have any side effects.</p> <p>For example, these are some side effects of amisulpride...</p> <ul style="list-style-type: none">• problems with sleeping• you could lose interest in sex• feeling restless• feeling sleepy or sluggish• feeling sick or being sick• feeling faint or dizzy• constipation• headache• if you are female your periods could change.

 <p>The illustration shows two people. The top person is a man with glasses, wearing a black and white striped shirt, with jagged lines on his chest indicating stiffness or shakiness. The bottom person is a woman with a fever, sweating, holding her head, and holding a glass of water.</p>	<p>Some side effects are more serious.</p> <p>You should tell someone straight away if...</p> <ul style="list-style-type: none">• you feel stiff• you feel shaky• you have a fever or high body temperature.
 <p>This section contains four images. The top image shows a brown glass bottle and a white box of amisulpride. The second image shows hands holding a glass of water and a white tablet. The third image shows hands pouring liquid from a bottle into a small cup. The bottom image is a line drawing of a doctor sitting at a desk talking to a patient.</p>	<p>How and when do I take amisulpride?</p> <p>The label on your amisulpride packet should tell you when to take your medicine.</p> <p>The label should tell you how much medicine you should take.</p> <p>You should follow these instructions carefully.</p> <p>You should swallow your tablet with water...</p> <p>Or...</p> <p>Measure and swallow your liquid.</p> <p>If you forget to take your medicine, tell someone straight away.</p> <p>You should ask your pharmacist if you can crush your medicine or if it can be mixed with a drink.</p> <p>You should carry on taking your medicine even if you feel better unless your doctor asks you to stop.</p> <p>You should talk to your doctor before you stop taking your medicine.</p>

	<h3>What do I need to know about amisulpride?</h3> <p>Drinking alcohol whilst taking amisulpride could make you feel drowsy.</p> <p>Some medicines do not work well together.</p> <p>You should tell your doctor about any other medicines you are taking.</p>
	<h3>Where can I get more information?</h3> <p>This leaflet does not tell you everything about amisulpride.</p> <p>If you want more information about amisulpride...</p> <ul style="list-style-type: none">• you can ask your pharmacist, doctor or nurse for more information• you can ask your carer to get more information• you can phone NHS Direct on 0845 4647• you can phone a medicine information helpline on 020 32 28 2999.

G. Unwin and S. Deb from the University of Birmingham created this leaflet with help from People First (Staffs) and Mencap. The project was funded by the Big Lottery Fund.

It can be downloaded from www.ld-medication.bham.ac.uk.

The information in this leaflet came from...

- the British National Formulary (www.bnf.org)
- the United Kingdom Psychiatric Pharmacy Group Patient Advisory Leaflets (www.ukppg.org.uk/ukppg-pals.html)
- Miriam Wilcher's Handbook for Carers of People with Learning Disabilities.